



SEQUENCE LISTING

<110> OKUDA, Akifumi et al.

<120> METHOD OF PRODUCING MACROLIDE COMPOUND

<130> 0425-1185PUS1

<140> US 10/532,412

<141> 2005-04-22

<150> PCT/JP03/15170

<151> 2003-11-27

<160> 13

<170> PatentIn version 3.1

<210> 1

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> NS1 forward primer used to determine nucleotide sequence  
of 18s rRNA gene

<400> 1

gtagtcatat gcttgtct

18

<210> 2

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> NS3 forward primer used to determine nucleotide sequence  
of 18s rRNA gene

<400> 2

gcaagtctgg tgccagcagc c

21

<210> 3

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> NS5 forward primer used to determine nucleotide sequence  
of 18s rRNA gene

<400> 3

aacttaaagg aattgacgga ag

22

<210> 4  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>

<223> NS7 forward primer used to determine nucleotide sequence  
of 18s rRNA gene

<400> 4  
gaggcaataa caggtctgtg atg

23

<210> 5  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>

<223> NS2 reverse primer used to determine nucleotide sequence  
of 18s rRNA gene

<400> 5  
cggttcagacc acggtcgtcg g

21

<210> 6  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>

<223> NS4 reverse primer used to determine nucleotide sequence  
of 18s rRNA gene

<400> 6  
ttgaatttcc ttaactgcct tc

22

<210> 7  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>

<223> NS6 reverse primer used to determine nucleotide sequence  
of 18s rRNA gene

<400> 7  
ctccgttatt gtccagacac tac

23

<210> 8  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>

<223> NS8 reverse primer used to determine nucleotide sequence  
of 18s rRNA gene

<400> 8

aggcatccac ttggacgcct

20

<210> 9

<211> 1733

<212> DNA

<213> Mortierella sp. F-1529

<400> 9

aaagattaag ccatgcatgt ctaagtataa acaactttgt actgtgaaac tgcgaatggc 60

tcattaaatc agttatagtt tatttgatta taccttacta cttggataac cgtggtaatt 120

ctagagctaa tacatgctaa aaatcccgac ttctggaagg gatgtattta ttagataaaa 180

aaccaatgcg ggcaaccgct tttctggtga ttcataataa cttttcgaat cgcattggcct 240

tgtgctagcg atgtttcatt caaattttctg ccctatcaac tttcgatggt aggatagagg 300

cctaccatgg ttttaacggg taacggggaa ttagggttcg attccggaga gggagcctga 360

gaaacggcta ccacatcaa ggaaggcagc aggcgcgcaa attaccaat cccgatacgg 420

ggaggtagtg acaataaata acaatacagg gctttatagt cttgtaattg gaatgagtac 480

aatttaaadc tcttaacgag gaacaattgg agggcaagtc tgggtgccagc agccgcggta 540

attccagctc caatagcgta tattaaagtt gttgcagtta aaaagctcgt agttgaattt 600

taggtctggt tggacggtct gctctctagg gtttgtactg tcttgaccgg gccttacctt 660

ctggtgagct gtcgtgttgt ttactcagtg cggcaggga ccaggacttt tactttgaaa 720

aaattagagt gtttaaagca ggcattcgt tgaatacatt agcatggaat aatagaatag 780

gactttggtt ctattttgtt ggtttctagg accgaagtaa tgattaatag ggatagttgg 840

gggcattagt atttaattgt cagaggtgaa attcttggtt ttattaaaga ctaacttctg 900

cgaaagcatt tgccaaggat gttttcatta atcaagaacg aaagttaggg gatcgaagac 960

gatcagatac cgtcgtagtc ttaaccataa actatgccga ctagggatca ggcaaggata 1020

ttttgacttg tttggcacct tatgagaaat caaagttttt gggttccggg gggagtatgg 1080

tcgcaaggct gaaacttaaa ggaattgacg gaagggcacc accaggagtg gagcctgcgg 1140

cttaatttga ctcaacacgg ggaaactcac caggtccaga catagtaagg attgacagat 1200

tgagagctct ttcttgattc tatgggtggt ggtgcatggc cgttcttagt tgggtggagt 1260

atttgtctgg ttaattccgt taacgaacga gaccttaacc tgctaaatag ttaggtcaac 1320

gattgttgat cgtcaacttc ttagaggac tattgactat tagtcaatgg aagtttgagg	1380
caataacagg tctgtgatgc ccttagatgt tctgggccgc acgcgcgcta cactgatcaa	1440
gtcaacgagt ttacaacctt ggccggaagg tctgggtaat cttttgaaac ttgatcgtgc	1500
tggggatagt ccattgcaat tattggactt caacgaggaa ttcctagtaa gcgtgagtca	1560
tcagctcgcg ttgattacgt ccctgccctt tgtacacacc gcccgtcgct actaccgatt	1620
gaatggctta gtgaggcttt cggattggac tttggcagct ggcaacagca gctagggact	1680
gaaaagtcac ccaaacttgg tcatttagag gaagtaaaag tcgtaacaag gtt	1733

<210> 10

<211> 1731

<212> DNA

<213> Mortierella sp. F-1530

<400> 10

aaagattaag ccatgcatgt ctaagtataa acaactttgt actgtgaaac tgcaaatggc	60
tcattaaatc agttatagtt tatttgatta taccttacta cttggataac cgttgtaatt	120
ctagagctaa tacatgctaa aaatcccgac ttctggaagg gatgtattta ttagataaaa	180
aaccaatgcg ggcaaccgct tttctggtga ttcataataa cttttcgaat cgcattggcct	240
tgtgctagcg atgtttcatt caaatttctg ccctatcaac tttcgatggg aggatagagg	300
cctaccatgg ttttaacggg taacggggaa ttagggttcg attccggaga gggagcctga	360
gaaacggcta ccacatcaa ggaaggcagc aggcgcgcaa attacccaat cccgatacgg	420
ggaggtagtg acaataaata acaatacagg gctttatagt cttgtaattg gaatgagtac	480
aatttaaate tcttaacgag gaacaattgg agggcaagtc tgggtgccagc agccgcggta	540
attccagctc caatagcgta tattaaagtt gttgcagtta aaaagctcgt agttgaattt	600
taggcctggg tggacgggtc gctctagggg ttgtactgtc ctgactgggt cttaccttct	660
ggtgagctgt cgtattgttt actcagtgcg gcagggaacc aggactttta ctttgaaaaa	720
attagagtgt ttaaagcagg cattcgcttg aatacattag catggaataa tagaatagga	780
ctttggttct attttggttg tttctaggac cgaagtaatg attaataagg atagttgggg	840
gcattagtat ttaattgtca gaggtgaaat tcttggtatt attaaagact aacttctgcg	900
aaagcatttg ccaaggatgt tttcattaat caagaacgaa agttagggga tcgaagacga	960
tcagataccg tcgtagtctt aaccataaac tatgccgact agggatcagg caaggatatt	1020
ttgacttggt tggcacctta tgagaaatca aagtttttgg gttccggggg gagtatggtc	1080

gcaaggctga aacttaaagg aattgacgga agggcaccac caggagtgga gcctgcggt 1140  
taatttgact caacacggg aaactcacca ggtccagaca tagtaaggat tgacagattg 1200  
agagctcttt cttgattcta tgggtggtgg tgcattggcg ttcttagttg gtggagtgat 1260  
ttgtctggtt aattccgtta acgaacgaga ccttaacctg ctaaatagtt aggccaacgt 1320  
ttgttggtcg tcaacttctt agagggacta ttgactatta gtcaatggaa gtttgaggca 1380  
ataacaggtc tgtgatgcc ttagatgttc tgggcgcac gcgcgtaca ctgatcaagt 1440  
caacgagttt acaaccttgg ccggaaggtc tgggtaatct tttgaaactt gatcgtgctg 1500  
gggatagtcc attgcaatta ttggacttca acgaggaatt cctagtaagc gtgagtcac 1560  
agctcgcgtt gattacgtcc ctgccctttg tacacaccgc ccgtcgtac taccgattga 1620  
atggcttagt gaggctttcg gattggactt tggcagctgg caacagcagc tagggactaa 1680  
aaagtcaccc aaacttggtc atttagagga agtaaaagtc gtaacaaggt t 1731

<210> 11  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> 9F primer used in the analysis of the 16S rRNA gene

<400> 11  
gtgtttgatc ctggctcag 19

<210> 12  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> 536R primer used in the analysis of the 16S rRNA gene

<400> 12  
gtattaccgc ggctgctg 18

<210> 13  
<211> 414  
<212> DNA  
<213> Micromonosporaceae AB-1896

<400> 13  
gtcgagcgga aggcccttcg gggactcga gcggcgaacg ggtgagtaac acgtgagcaa 60  
cctgccctag gctttgggat aaccccgga aaccggggct aataccgaat atgacttctg 120

gtcgcacgac	cggtggtgga	aagtttttcg	gcctgggatg	ggctcgcggc	ctatcagctt	180
gttggtgggg	tgatggccta	ccaaggcgac	gacgggtagc	cggcctgaga	gggcgaccgg	240
ccacactggg	actgagacac	ggcccagact	cctacgggag	gcagcagtgg	ggaatattgc	300
acaatgggcg	gaagcctgat	gcagcgacgc	cgcgtagagg	atgacggcct	tcgggttgta	360
aacctctttc	agcagggacg	aagcgtaagt	gacggtacct	gcagaagaag	cgcc	414